

正誤訂正表

目次

ページ	行	誤	正
		付 8. 長方形柱の断面算定図表 ・・・・・・・・・・668	付 8. 長方形柱の断面算定図表 ・・・・・・・・・・669
		付 9. 鉄筋の断面積・周長および定尺表 ・・・・・・・・・・670	付 9. 鉄筋の断面積・周長および定尺表 ・・・・・・・・・・674
		付 10. 鉄筋本数と梁および柱幅の最小 寸法 ・・・・・・・・・・672	付 10. 鉄筋本数と梁および柱幅の最小 寸法 ・・・・・・・・・・676
		付 11. 配筋標準 ・・・・・・・・・・676	付 11. 配筋標準 ・・・・・・・・・・680

6. 部材の性能

ページ	行	誤	正
283	14	・鉄筋の定着・継手・余長については、6.7 および付 11 を参照してほしい。	・鉄筋の定着・継手・余長については、6.7 節および付 11 を参照してほしい。
348		図 6.5.2 (b) のキャプション 外柱・梁結合部	図 6.5.2 (b) のキャプション 外柱・梁接合部
406	17	(図 6.7.20)	(図 6.7.21)

8. 設計例 2

ページ	行																																																																																																																																																																																																																																																																																																																																										
515		<p>8.2.9 仮定断面</p> <p>1) 大梁リスト</p> <p>正 (訂正箇所は○にて表示)</p>																																																																																																																																																																																																																																																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>階</th> <th>符号</th> <th colspan="2">GX1</th> <th colspan="2">GX2</th> <th colspan="2">GX3</th> <th colspan="2">GX4</th> </tr> </thead> <tbody> <tr> <td rowspan="6">4階</td> <td>b × D (mm)</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> </tr> <tr> <td>位置</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> </tr> <tr> <td rowspan="2">上端</td> <td>一段</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>二段</td> <td>2-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> <td>3-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> </tr> <tr> <td rowspan="2">下端</td> <td>一段</td> <td>1-D29</td> <td>-</td> <td>1-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> <td>1-D29</td> <td>-</td> </tr> <tr> <td>二段</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>あばら筋</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@125</td> <td colspan="2">D13-□@125</td> </tr> <tr> <td rowspan="6">3階</td> <td>b × D (mm)</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> </tr> <tr> <td>位置</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> </tr> <tr> <td rowspan="2">上端</td> <td>一段</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>二段</td> <td>2-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> <td>3-D29</td> <td>1-D29</td> <td>3-D29</td> <td>1-D29</td> </tr> <tr> <td rowspan="2">下端</td> <td>一段</td> <td>1-D29</td> <td>-</td> <td>1-D29</td> <td>-</td> <td>3-D29</td> <td>1-D29</td> <td>2-D29</td> <td>-</td> </tr> <tr> <td>二段</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>あばら筋</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@125</td> <td colspan="2">D13-□@125</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>階</th> <th>符号</th> <th colspan="2">GY1</th> <th colspan="2">GY2</th> <th>階</th> <th colspan="2">GY1</th> <th colspan="2">GY2</th> </tr> </thead> <tbody> <tr> <td rowspan="6">R階</td> <td>b × D (mm)</td> <td colspan="2">350 × 700</td> <td colspan="2">350 × 700</td> <td rowspan="6">4階</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> </tr> <tr> <td>位置</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> </tr> <tr> <td rowspan="2">上端</td> <td>一段</td> <td>3-D29</td> <td>3-D29</td> <td>3-D29</td> <td>3-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>二段</td> <td>1-D29</td> <td>1-D29</td> <td>1-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> <td>2-D29</td> <td>-</td> </tr> <tr> <td rowspan="2">下端</td> <td>一段</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>1-D29</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>二段</td> <td>3-D29</td> <td>3-D29</td> <td>3-D29</td> <td>3-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>あばら筋</td> <td colspan="2">D13-□@200</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> </tr> <tr> <td rowspan="6">6階</td> <td>b × D (mm)</td> <td colspan="2">400 × 750</td> <td colspan="2">400 × 750</td> <td rowspan="6">3,2階</td> <td colspan="2">500 × 850</td> <td colspan="2">500 × 850</td> </tr> <tr> <td>位置</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> </tr> <tr> <td rowspan="2">上端</td> <td>一段</td> <td>4-D29</td> <td>4-D29</td> <td>4-D29</td> <td>4-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>二段</td> <td>1-D29</td> <td>-</td> <td>-</td> <td>-</td> <td>3-D29</td> <td>1-D29</td> <td>2-D29</td> <td>-</td> </tr> <tr> <td rowspan="2">下端</td> <td>一段</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>2-D29</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>二段</td> <td>4-D29</td> <td>3-D29</td> <td>3-D29</td> <td>3-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>あばら筋</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> </tr> <tr> <td rowspan="6">5階</td> <td>b × D (mm)</td> <td colspan="2">500 × 800</td> <td colspan="2">500 × 800</td> <td colspan="4" rowspan="6" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr> <td>位置</td> <td>端部</td> <td>中央</td> <td>端部</td> <td>中央</td> </tr> <tr> <td rowspan="2">上端</td> <td>一段</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> <td>5-D29</td> </tr> <tr> <td>二段</td> <td>1-D29</td> <td>-</td> <td>1-D29</td> <td>-</td> </tr> <tr> <td rowspan="2">下端</td> <td>一段</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>二段</td> <td>5-D29</td> <td>5-D29</td> <td>4-D29</td> <td>4-D29</td> </tr> <tr> <td>あばら筋</td> <td colspan="2">D13-□@150</td> <td colspan="2">D13-□@150</td> </tr> </tbody> </table>			階	符号	GX1		GX2		GX3		GX4		4階	b × D (mm)	500 × 850		500 × 850		500 × 850		500 × 850		位置	端部	中央	端部	中央	端部	中央	端部	中央	上端	一段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	二段	2-D29	-	2-D29	-	3-D29	-	2-D29	-	下端	一段	1-D29	-	1-D29	-	2-D29	-	1-D29	-	二段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	あばら筋	D13-□@150		D13-□@150		D13-□@125		D13-□@125		3階	b × D (mm)	500 × 850		500 × 850		500 × 850		500 × 850		位置	端部	中央	端部	中央	端部	中央	端部	中央	上端	一段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	二段	2-D29	-	2-D29	-	3-D29	1-D29	3-D29	1-D29	下端	一段	1-D29	-	1-D29	-	3-D29	1-D29	2-D29	-	二段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	あばら筋	D13-□@150		D13-□@150		D13-□@125		D13-□@125		階	符号	GY1		GY2		階	GY1		GY2		R階	b × D (mm)	350 × 700		350 × 700		4階	500 × 850		500 × 850		位置	端部	中央	端部	中央	端部	中央	端部	中央	上端	一段	3-D29	3-D29	3-D29	3-D29	5-D29	5-D29	5-D29	5-D29	二段	1-D29	1-D29	1-D29	-	2-D29	-	2-D29	-	下端	一段	-	-	-	-	1-D29	-	-	-	二段	3-D29	3-D29	3-D29	3-D29	5-D29	5-D29	5-D29	5-D29	あばら筋	D13-□@200		D13-□@150		D13-□@150		D13-□@150		6階	b × D (mm)	400 × 750		400 × 750		3,2階	500 × 850		500 × 850		位置	端部	中央	端部	中央	端部	中央	端部	中央	上端	一段	4-D29	4-D29	4-D29	4-D29	5-D29	5-D29	5-D29	5-D29	二段	1-D29	-	-	-	3-D29	1-D29	2-D29	-	下端	一段	-	-	-	-	2-D29	-	-	-	二段	4-D29	3-D29	3-D29	3-D29	5-D29	5-D29	5-D29	5-D29	あばら筋	D13-□@150		D13-□@150		D13-□@150		D13-□@150		5階	b × D (mm)	500 × 800		500 × 800						位置	端部	中央	端部	中央	上端	一段	5-D29	5-D29	5-D29	5-D29	二段	1-D29	-	1-D29	-	下端	一段	-	-	-	-	二段	5-D29	5-D29	4-D29	4-D29	あばら筋	D13-□@150		D13-□@150	
階	符号	GX1		GX2		GX3		GX4																																																																																																																																																																																																																																																																																																																																			
4階	b × D (mm)	500 × 850		500 × 850		500 × 850		500 × 850																																																																																																																																																																																																																																																																																																																																			
	位置	端部	中央	端部	中央	端部	中央	端部	中央																																																																																																																																																																																																																																																																																																																																		
	上端	一段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																	
		二段	2-D29	-	2-D29	-	3-D29	-	2-D29	-																																																																																																																																																																																																																																																																																																																																	
	下端	一段	1-D29	-	1-D29	-	2-D29	-	1-D29	-																																																																																																																																																																																																																																																																																																																																	
		二段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																	
あばら筋	D13-□@150		D13-□@150		D13-□@125		D13-□@125																																																																																																																																																																																																																																																																																																																																				
3階	b × D (mm)	500 × 850		500 × 850		500 × 850		500 × 850																																																																																																																																																																																																																																																																																																																																			
	位置	端部	中央	端部	中央	端部	中央	端部	中央																																																																																																																																																																																																																																																																																																																																		
	上端	一段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																	
		二段	2-D29	-	2-D29	-	3-D29	1-D29	3-D29	1-D29																																																																																																																																																																																																																																																																																																																																	
	下端	一段	1-D29	-	1-D29	-	3-D29	1-D29	2-D29	-																																																																																																																																																																																																																																																																																																																																	
		二段	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																	
あばら筋	D13-□@150		D13-□@150		D13-□@125		D13-□@125																																																																																																																																																																																																																																																																																																																																				
階	符号	GY1		GY2		階	GY1		GY2																																																																																																																																																																																																																																																																																																																																		
R階	b × D (mm)	350 × 700		350 × 700		4階	500 × 850		500 × 850																																																																																																																																																																																																																																																																																																																																		
	位置	端部	中央	端部	中央		端部	中央	端部	中央																																																																																																																																																																																																																																																																																																																																	
	上端	一段	3-D29	3-D29	3-D29		3-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																
		二段	1-D29	1-D29	1-D29		-	2-D29	-	2-D29	-																																																																																																																																																																																																																																																																																																																																
	下端	一段	-	-	-		-	1-D29	-	-	-																																																																																																																																																																																																																																																																																																																																
		二段	3-D29	3-D29	3-D29		3-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																
あばら筋	D13-□@200		D13-□@150		D13-□@150		D13-□@150																																																																																																																																																																																																																																																																																																																																				
6階	b × D (mm)	400 × 750		400 × 750		3,2階	500 × 850		500 × 850																																																																																																																																																																																																																																																																																																																																		
	位置	端部	中央	端部	中央		端部	中央	端部	中央																																																																																																																																																																																																																																																																																																																																	
	上端	一段	4-D29	4-D29	4-D29		4-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																
		二段	1-D29	-	-		-	3-D29	1-D29	2-D29	-																																																																																																																																																																																																																																																																																																																																
	下端	一段	-	-	-		-	2-D29	-	-	-																																																																																																																																																																																																																																																																																																																																
		二段	4-D29	3-D29	3-D29		3-D29	5-D29	5-D29	5-D29	5-D29																																																																																																																																																																																																																																																																																																																																
あばら筋	D13-□@150		D13-□@150		D13-□@150		D13-□@150																																																																																																																																																																																																																																																																																																																																				
5階	b × D (mm)	500 × 800		500 × 800																																																																																																																																																																																																																																																																																																																																							
	位置	端部	中央	端部	中央																																																																																																																																																																																																																																																																																																																																						
	上端	一段	5-D29	5-D29	5-D29					5-D29																																																																																																																																																																																																																																																																																																																																	
		二段	1-D29	-	1-D29					-																																																																																																																																																																																																																																																																																																																																	
	下端	一段	-	-	-					-																																																																																																																																																																																																																																																																																																																																	
		二段	5-D29	5-D29	4-D29					4-D29																																																																																																																																																																																																																																																																																																																																	
あばら筋	D13-□@150		D13-□@150																																																																																																																																																																																																																																																																																																																																								

10. 付録


ページ	行	誤	正
		付 8. 長方形柱の断面算定図表 ・・・・・・・・・・668	付 8. 長方形柱の断面算定図表 ・・・・・・・・・・669
		付 9. 鉄筋の断面積・周長および定尺表 ・・・・・・・・・・670	付 9. 鉄筋の断面積・周長および定尺表 ・・・・・・・・・・674
		付 10. 鉄筋本数と梁および柱幅の最小 寸法 ・・・・・・・・・・672	付 10. 鉄筋本数と梁および柱幅の最小 寸法 ・・・・・・・・・・676
		付 11. 配筋標準 ・・・・・・・・・・676	付 11. 配筋標準 ・・・・・・・・・・680

666 ~ 667

図の追加 (ページ追加 667)

$F_c = 21$ 長期

$f_c = 7, f_t = 220, n = 15$



長方形梁およびT形梁 (中立軸スラブ内) (2)


667	ページ変更 667 → 668
668	ページ変更 668 → 669

668 ~ 669

図の追加 (ページ追加 670)

$F_c = 21$ 長期

$f_c = 7, f_t = 220, n = 15$



長方形断面柱

669


ページ変更 669 → 671

669 ~ 670

図の追加 (ページ追加 672)

$F_c = 21$ 短期

$f_c = 14, f_t = 345, n = 15$



長方形断面柱

669 ~ 670

ページ追加 (673)

ページ変更 670 → 674

671 ページ変更 671 → 675

672 ページ変更 672 → 676

673 ページ変更 673 → 677

674 ページ変更 674 → 678

675 ページ変更 675 → 679

676		ページ変更 676 → 680
677		ページ変更 677 → 681
678		ページ変更 678 → 682
679		ページ変更 679 → 683
680		ページ変更 680 → 684
681		ページ変更 681 → 685
682		ページ変更 682 → 686
683		ページ変更 683 → 687
684		ページ変更 684 → 688